

Release notes

0.6.0-X

Breaking Changes

- `MRKCSBFStore` *elemental class* is impacted by a bug in storing `GUID term`.
- Many of the non-core *elementals* have been moved to individual modules (see 7 on page 83).

Changes

- primitives:
 - `str.tokenize` support optional fourth *term* which is a *list* of flags.
 - `peek` accepts a third *term* which is a value to be unified to the 2nd *term* if the label doesn't exist in the properties.
- config:
 - `spinning` meaning changed (see 4.2 on page 17)
- elementals:
 - new `ttl` property to set the time-to-live of any query sent by the *elemental* (instead of using the system default)
 - `MRKCEvaluator`: when no "tmo" is specified, the *substrate* or *elemental* TTL value is used
- predicates:
 - `~` can be used with any label other than `self` (see section 2.3 on page 4).

Additions

- samples:
 - bigrams
 - clu
 - ecalculus
 - robin
- modules:
 - CLU (see section 7 on page 87)
 - EV3 (see section 7 on page 89)
- elementals:
 - constants `$self` and `$guid`
- primitives:
 - `rnd.sint` (see section 5.10 on page 64)
- predicates:
 - `*` prefix for *predicate* (see section 2.3 on page 4)

Bug Fixes

- `guid term` wasn't flattened and thus wouldn't get saved in *SBFStore*.
- trigger based *prototypes* where not respecting the 'cut' directives.
- Unfrequent crashes when pasting into the console (outside of the input mode)